

www.evodglobal.com





EVOD GLOBAL CURTAIN WALL SYSTEM

GLASS & ALUMINIUM

CURTAIN WALL

EVOD Curtain Wall System





M85S is the new thermally broken element & structural curtain wall of EVOD.

/ 85mm basic system width

/ Only glazing with total thickness of 32 mm or 44 mm is applicable. / Easy replacement of broken glasses.

| Projected windows can be seamlessly applied.


It is a unitized curtain wall system ideal for high - rise buildings. providing freedom in architectural design. The construction covers. Every unit can be freely designed by the architect. The system guarantees easy and secure application.

Types of vent: Fixed, Top hung window, Parallel projected window.

Exterior aesthetics: No visible aluminium frame. Distance between frames: 20 mm.



EVOD GLOBAL



M50 is a complete system for curtain walls with high energy efficiency, which offers infinite design possibilities and meets every requirement of contemporary architecture.

M50 Security

M50 Security provides solutions when high security is needed and can be applied on curtain wall constructions for banks, embassies, government agencies, jewelers etc. The different glazing options that the system offers, increase significantly the system's security level and energy efficiency.



EVOD GLOBAL



M50 Fire Proof is suitable for projects which require high fire protection. Certified for 30 minutes fire resistance and in combination with the appropriate fire proof glazing, it provides the crucial time needed for building evacuation in case of emergency.



EVOD GLOBAL

CURTAIN WALL SYSTEM

Evolve Global
10th Floor ,Park Avenue 230
10169 New York, NY
United States
(220)788-7888
us@evodco.com

www.evodglobal.com