


www.evodglobal.com




**EVOD GLOBAL
STOREFRONT
DOOR SYSTEM**

GLASS & ALUMINIUM

STOREFRONT DOOR SYSTEM

EVOD STOREFRONT DOOR SYSTEM





M20650 is an elegant insulated hinged system with modern design, using a concealed sash that offers a minimal touch to windows and doors. It is an exceptional solution for maximum natural lighting.



EVOD GLOBAL

M23000 is an insulated Tilt & Turn system for doors and windows which combines the advantages of aluminium & wood by offering the durability of aluminium along with the warm feeling of wood.



/ Basic system depth 88 mm.
/ Only Euronut hardware is applicable.

! Max. glass thickness up to 33mm and weight per sash up to 80 l Kg (with concealed hinges).

/ Connection of aluminium and wooden parts via special clips for an effective air circulation.



MI 5000 is a Tilt & Turn system which can meet various needs thanks to a wide range of profiles for windows and doors with the following characteristics:



- / Basic system depth 50 mm.
- / Glass thickness up to 47 mm and sash weight up to 180 Kg (with concealed hinges).
- / Robust & flexible system that can support all potential typologies of doors, windows & pivot windows.
- / Special profiles available for main entrances, smoke proof doors and panic doors.
- / The system supports concealed sash typologies.
- / Various designs (e.g. flat, curved, classic).
- / Flexibility as either European groove or Euronut hardware can be applied.
- / Certified performance by the ift Rosenheim Institute.



EVOD GLOBAL

STOREFRONT DOOR SYSTEM

Evolve Global
10th Floor ,Park Avenue 230
10169 New York, NY
United States
(220)788-7888
us@evodco.com

www.evodglobal.com